


# Combo Plates

**COMBO Plate unites 52 mm and 96 mm pull-stud patterns in a single design, preserving the sub-micron repeatability of our Zero-Point series while giving fixtures from either standard a direct, drop-in fit. For almost every plate in the range, a COMBO version is available, so system changeovers never limit your setup options.**

Dual compatibility brings two clear gains. Fixture planning becomes straightforward—vises, risers, or cubes can be swapped without worrying about stud spacing—and eliminating adapters trims the stack height, freeing valuable envelope on 3-, 4-, and 5-axis machines and reducing collision risk.



# Combo Plate


56

ZERO POINT QUICK CHANGE DEVICES / COMBO PLATES




## M-52/96 (8287)

|                |                       |
|----------------|-----------------------|
| Size           | 192x192x27 mm         |
| Pull Studs     | M-52x52PS / M-96x96PS |
| Mounting Holes | —                     |
| Weight (kg)    | 6.5                   |



## M-52/96 (8288)


|                |                       |
|----------------|-----------------------|
| Size           | Ø196x29 mm            |
| Pull Studs     | M-52x52PS / M-96x96PS |
| Mounting Holes | —                     |
| Weight (kg)    | 6.2                   |





### M-52/96 (8286)

|                |                       |
|----------------|-----------------------|
| Size           | ø176x29 mm            |
| Pull Studs     | M-52x52PS / M-96x96PS |
| Mounting Holes | —                     |
| Weight (kg)    | 4.7                   |



### M-52/96 (8286-M)

|                |                       |
|----------------|-----------------------|
| Size           | ø176x29 mm            |
| Pull Studs     | M-52x52PS / M-96x96PS |
| Mounting Holes | 150x126 mm            |
| Weight (kg)    | 4.5                   |

